

# **3CDimplex<sup>®</sup>**

## Portable Air Conditioners



\*Requires external ducting to lower room temperature

**COMFORT. BY DESIGN.**

[www.dimplex.co.nz](http://www.dimplex.co.nz)



## DIM3IN1

### Personal Cooler, Heater and 30L Dehumidifier

- 1.1kW cooling capacity
- 600W ceramic heater
- Can be used as a personal cooler to direct cooled air towards you without the need for external ducting
- 30L dehumidifier with 2.6L dehumidifying tank
- 0-24hr timer setting with sleep mode
- Easy touch control panel
- Remote



## DC10RC

### 3kW Reverse Cycle Portable Air Conditioner with Dehumidifier

- 3kW cooling and heating capacity
- Compact size (63cm high)
- Dehumidifies up to 40L per day
- Self-evaporative system, reduces need to empty drip tray or use drip hose
- 0-24hr timer setting with sleep mode
- Easy touch control panel
- Remote
- Heats and cools up to 30m<sup>2</sup>



All Dimplex Portable Air Conditioners require and come with a window kit to vent hot/cool air and excess humidity.



## GDPAC14RC

### 4kW Grey Reverse Cycle Portable Air Conditioner with Dehumidifier

- 4kW cooling and 3kW heating capacity
- Dehumidifiers up to 80L per day
- Self-evaporative system, reduces need to empty drip tray or use drip hose
- 0-24hr timer setting with sleep mode
- Easy touch control panel
- Remote
- Heats and cools up to 40m<sup>2</sup>



## DIMPLEX BRINGS YOU COMFORT BY DESIGN

Keeping you and your home cool will be a breeze this summer with a Dimplex Portable Air Conditioner. Featuring a contemporary design, intended to be unobtrusive and blend harmoniously with existing decor, these units come in various sizes to suit both small and large sized rooms.

Packed with innovative features, these units are guaranteed to cool even in extreme temperatures, providing all the quality and reliability that you've come to expect from Dimplex.



### Guaranteed Cooling in 43°C

Summer can reach temperatures of over 35° Celsius where most cooling systems won't function. Dimplex DC10RC Portable Air Conditioners are guaranteed to work effectively at 43° Celsius. Dimplex will keep you cool when you need it most.



### Dehumidifying Function

Summer can bring high levels of humidity causing discomfort to many people and damage to home furnishings. Excessive humidity can cause the growth of mildew, dust mites and mould that leads to allergies and asthma. All Dimplex Portable Air Conditioners come with a dehumidification feature that not only cools your home but also reduces unwanted muggy humidity.



### Self Evaporative Function

Dimplex Portable Air Conditioners are equipped with a self evaporative system, which removes excess condensation by means of evaporating the water in the drip tray. Therefore reducing the hassle of having to use a drip tray or drain hose.

So sleep and breathe easy this summer with your Dimplex Portable Air Conditioner.

COMFORT. BY DESIGN.

[www.dimplex.co.nz](http://www.dimplex.co.nz)



Specifications	DIM3IN1	DC10RC	GDPAC14RC
<b>Thermostat range</b>	17-30°C	17-30°C	13-27°C
<b>Rated Power Usage (EN60335)</b>	0.61kW (cooling) 0.6kW (heating)	1.28kW (cooling) 1.1kW (heating)	1.6kW (cooling) 1.45kW (heating)
<b>Cooling Capacity</b>	1.1kW	3kW	4kW
<b>Heating Capacity</b>	600W	3kW	3kW
<b>Min/Max Room Size</b>	up to 11m <sup>2</sup> * (as a room cooler. Any size room as a personal cooler)	10 - 30m <sup>2</sup> *	10 - 40m <sup>2</sup> *
<b>Dehumidification Rate</b>	30L/Day	40L/Day	80L/Day
<b>Dehumidification Tank</b>	2.6L	Drip/holding tray only	Drip/holding tray only
<b>Air Volume</b>	150m <sup>3</sup> /h	360m <sup>3</sup> /h	340m <sup>3</sup> /h
<b>Minimum Noise Level</b>	49dB	51dB	42-55dB
<b>Remote Control</b>	Yes	Yes	Yes
<b>24 Hour Timer</b>	Yes	Yes	Yes
<b>Unit Dimensions (cm)</b>	50H x 37.5W x 28.5D	63H x 48W x 30D	72H x 41.5W x 37D
<b>Unit Net Weight (kg)</b>	16kg	28kg	31.5kg
<b>Warranty</b>	2 years	2 years	2 years

\*Requires external ducting to cool/lower overall temperature of rooms. Ducting/window kit included with all models and is suitable for sash or sliding windows, not swinging windows.